Attachment 4 Proposed PM2.5 Sampling Frequency for Monitoring Sites to be Funded in 1998 in California

Site Location	Operating		Sampling Frequency	
(by MPA)	Agency	Required	Proposed	
Bay Area AQMD				
Concord-2975 Treat Blvd	BA	Everyday	From site commencement to March 31, 1999, the District	
Fremont-Chapel Way	BA	1 in 3 day	proposes 1 in 3 day sampling at all PM2.5 monitoring	
Livermore-Old 1st Street	BA	Everyday	sites. After that, the District will sample according to the	
Redwood City	BA	1 in 3 day	requirements (everyday at 4 sites and 1 in 3 day at 5	
San Francisco-Arkansas Street	BA	1 in 3 day	sites) during the the period of expected high PM2.5	
San Jose-4th Street	BA	Everyday	concentrations (October 1 through March 31). During the	
San Jose-Tully Road	BA	Everyday	period of expected low PM2.5 concentration (April	
Santa Rosa-5th Street	BA	1 in 3 day	1through September 31), the District will sample on a 1 in	
Vallejo-304 Tuolumne Street	BA	1 in 3 day	6 day schedule at all sites.	
Coachella Valley				
Indio-Jackson Street	SC	1 in 3 day	As required	
Great Basin Unified APCD				
Keeler-Cerro Gordo Road	GBU	1 in 3 day	As assumed	
Mammoth Lakes-Gateway HC	GBU	1 in 3 day	- As required	
Imperial County APCD				
Brawley-Main Street	IMP	1 in 3 day	During 1998: sampling on a 1 in 6 day schedule.	
Calexico-Ethel Street	ARB	1 in 3 day	Beginning January 1, 1999: as required.	
El Centro-9th Street	IMP	1 in 3 day		
Lake County Air Basin				
Lakeport-Lakeport Blvd	LAK	1 in 3 day	1 in 6 day	
Lake Tahoe Air Basin				
North Lake Tahoe	ARB	1 in 3 day		
South Lake Tahoe-Sandy Way	ARB	1 in 3 day	1 in 6 day	
Mojave Desert Air Basin				
Lancaster-W Pondera Street	AV	1 in 3 day	As required	
Ridgecrest-Las Flores Avenue	KER	1 in 3 day	As required	
Victorville-Armagosa Road	MD	1 in 3 day	As required	
Mojave-923 Poole Street	ARB	1 in 3 day	During 1998: sampling on a 1 in 6 day schedule.	
			Beginning January 1, 1999: as required.	
Monterey Bay Unified APCD				
Salinas	MBU	1 in 3 day	An required	
Santa Cruz-Soquel Drive	MBU	1 in 3 day	- As required	
Mountain Counties Air Basin				
Grass Valley-Litton Building Site	NSI	1 in 3 day	1 in 6 day	
Portola	NSI	1 in 3 day	,	
Quincy-N Church Street	NSI	1 in 3 day	As required	
Truckee-Fire Station	NSI	1 in 3 day	·	
San Andreas-Gold Strike Road	ARB	1 in 3 day	1 in 6 day	
North Coast Air Basin				
Eureka-Health Dept 6th and I Street	NCU	1 in 3 day	1 in 6 day	
Ukiah-County Library	MEN	1 in 3 day	1 in 6 day	
Northeast Plateau Air Basin		o day	o day	
Alturas-W 4th Street	SIS	1 in 3 day	1 in 6 day	
Alluras-VV 4III Stieet	ડાડ	i iii o uay	i iii o uay	

Site Location	Operating		Sampling Frequency	
(by MPA)	Agency	Required		
Sacramento Valley Air Basin	,		1100000	
<u> </u>	ADD	1 in 2 day		
Chico-Manzanita Avenue Roseville-N Sunrise Blvd	ARB ARB	1 in 3 day 1 in 3 day	1 in 6 day	
Yuba City-Almond Street	ARB	1 in 3 day	Till 6 day	
Colusa-Sunrise Blvd	ARB	1 in 3 day	From site commencement to March 31, 1999: 1 in 6 day	
Colusa-Sulfilse Bivu	AND	T III 3 day	sampling. After that, the sampling frequency will be as required.	
Sacramento-T Street	ARB	Everyday	From site commencement to March 31, 1999: 1 in 3 day sampling. After that, the sampling frequency will be as required.	
Redding-Health Dept Roof	SHA	1 in 3 day	1 in 6 day	
Woodland	YS	1 in 3 day	As required	
Sacramento-Del Paso Manor	SAC	Everyday	From site commencement to March 31, 1999, the District	
Sacramento-Health Dept Stockton Blvd	SAC	Everyday	proposes 1 in 3 day sampling at both sites. After that, the District will sample according to the requirements during the period of expected high PM2.5 concentrations (October 1 through March 31). During the period of expected low PM2.5 concentrations (April 1through September 31), the District will sample on a 1 in 3 day schedule at both sites.	
San Diego County APCD				
Chula Vista	SD	1 in 3 day		
El Cajon-Redwood Avenue	SD	Everyday		
Escondido-E Valley Parkway	SD	Everyday	As required	
San Diego-12th Avenue	SD	Everyday		
San Diego-Overland Avenue	SD	1 in 3 day		
San Joaquin Valley Unified APCD				
Bakersfield-1120 Golden State Avenue	SJ	Everyday	From site commencement to March 31, 1999: 1 in 3 day	
Clovis-N Villa Avenue	SJ	Everyday	sampling. After that, the District will sample 1 in 3 day	
Corcoran-Patterson Avenue	SJ	1 in 3 day	during the period of expected high PM2.5 concentrations	
Merced - "Midtown"	SJ	1 in 3 day	(October 1 through March 31). During the period of expected low PM2.5 concentration (April 1through September 31), the District will sample on a 1 in 6 day schedule at all sites.	
Bakersfield-5558 California Avenue	ARB	Everyday	From site commencement to March 31, 1999: 1 in 3 day	
Fresno-1st Street	ARB	Everyday	sampling. After that, the sampling frequency will be as required.	
Modesto-I Street	ARB	1 in 3 day	During 1998: sampling on a 1 in 6 day schedule.	
Stockton-Hazelton Street	ARB	1 in 3 day	Beginning January 1, 1999: as required.	
Visalia-N Church Street	ARB	1 in 3 day		
San Luis Obispo County APCD				
Atascadero-Lewis Avenue	SLO	1 in 3 day	1 in 6 day	
San Luis Obispo-Marsh Street	ARB	1 in 3 day	1 in 6 day	
Santa Barbara County APCD			•	
Santa Barbara-W Carillo Street	ARB	1 in 3 day	1 in 6 day	
Santa Maria-Library	ARB	1 in 3 day	i iii o uay	

Site Location	Operating	Sampling Frequency	
(by MPA)	Agency	Required	Proposed
South Coast Air Basin			
Anaheim-Harbor Blvd	SC	Everyday	During 1998: sampling on a 1 in 3 day schedule.
Azusa	SC	Everyday	Beginning January 1, 1999: as required.
Los Angeles-North Main Street	SC	Everyday	
North Long Beach	SC	Everyday	
Riverside-Rubidoux	SC	Everyday	
Fontana-Arrow Highway	SC	Everyday	1 in 3 day
Lake Forest (El Toro)	SC	Everyday	T III 3 day
Big Bear	SC	1 in 3 day	
Burbank-W Palm Avenue	SC	1 in 3 day	
Lynwood	SC	1 in 3 day	
Ontario-Airport	SC	1 in 3 day	
Pasadena-S Wilson Avenue	SC	1 in 3 day	As required
Pico Rivera	SC	1 in 3 day	
Reseda	SC	1 in 3 day	
Riverside-Magnolia	SC	1 in 3 day	
San Bernardino-4th Street	SC	1 in 3 day	
Ventura County APCD			
El Rio-Rio Mesa School #2	VEN	1 in 3 day	
Simi Valley-Cochran Street	VEN	Everyday	1 in 3 day
Thousand Oaks-Moorpark Road	VEN	Everyday	